

What **you** can do to *reduce* the possibility of **roof collapse**

Roof collapses occur every year, resulting in significant damages to buildings, loss of property, interruption to business, and even serious injuries. Although they can be caused by many factors such as earthquakes, or improper design/construction, they occur most frequently during the winter months as snow and ice accumulate on roof surfaces.

Although any roof surface may collapse, flat roofs are more susceptible to snow and ice accumulation and ice blockages.

How roof collapses occur

Building designs determine how much loading a roof can withstand. The loading capacity can vary greatly from province to province depending on expected snowfalls. Generally stated in pounds per square foot, a roof loading can range from having a snow load of 10 - 70 lbs/sq ft.

Determining the actual weight of snow is also very difficult. Ten to 12 inches of fresh snow can weigh about 5 lbs/sq ft of roof space. Packed or older snow can have the same weight with only three to five inches. Water and ice is even heavier, measuring only about one inch for 5 lbs/sq ft. Therefore, even two feet of packed snow with two inches of ice could provide a potentially dangerous snow load.

Other contributing factors

ADDED WEIGHT

Additions such as HVAC units, new roof coverings, or equipment hanging from roof steel such as cranes or conveyors can increase the load on the roof.



PROJECTIONS

Roof equipment, changes in roof elevation, parapets, vents, additions, or even neighbouring buildings may create areas where ice and snow can collect during wind storms. If these projections were added after construction, they may create excess loading on sections while the original design did not account for it.

CLOGGED DRAINS, GUTTERS, AND DOWNSPOUTS

On any roof surface, a clogged drain will prevent water from rain or melted snow from draining. Rain that follows snow can be trapped on roofs because drains are still frozen. Warm weather will also melt the snow into water.

ICE DAMS

On sloped roofs, heat radiating from the attic space can melt snow on the roof which will then refreeze by the gutters, completely blocking them off. These ice dams allow snow and water to remain on the roof where it can force itself into the building structure; here it can cause rotted wood, mildew, mould, or damaged insulation. Over time, the rotted roofing structure will be weakened thus decreasing the snow load capacity of the roof.

AGE

Older roof coverings will deteriorate, sealants will shrink, and water leaking will occur. Also, over time, roof leaks can rot and compromise structural roofing components which can lead to eventual collapse. Older roof coverings will deteriorate, sealants will shrink, and water leaking will occur.

Warning signs that may indicate a potential roof collapse

- sagging roof steel (plumb bobs or laser levels can be used to measure bowing)
- cracked or split roof members
- sprinkler heads pushed down below ceiling tiles
- doors that pop open or doors and windows that are difficult to open
- bowed utility pipes or electrical conduits at the ceiling
- creaking, cracking, or popping sounds
- severe roof leaks

Steps to prevent roof collapse

- keep drains, gutters, and downspouts clear of ice and debris. The use of heat cables can help accomplish this.
- ensure downspouts are shortened enough not to freeze at the bottom
- do not shovel or plow snow against downspouts
- repair or replace roof covering before it leaks
- inspect the roof immediately after major storms
- remove snow from the roof (contact a roofing contractor for safe snow removal methods)

How to minimize a loss if you suspect your roof has a problem

- evacuate the building
- remove any mobile equipment
- cover equipment and stock with plastic to protect against water damage
- back-up computers

For more information, please visit www.intactprevention.com

This document is for informational purposes only and should not be construed as being advice or exhaustive. Intact Insurance makes no representation, warranty or guarantee that use of this information will prevent damage or reduce your premium. Your insurance contract prevails at all times, please consult it for a complete description of coverage and exclusions. Certain conditions, restrictions and exclusions apply. ®Intact Insurance Design is a registered trademark of Intact Financial Corporation used under license. ©2013 Intact Insurance Company. All rights reserved.

